

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2278	(increas\$3 decreas\$3) NEAR3 (number amount) NEAR3 (buffer) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:54
L2	1884	(increas\$3) NEAR3 (number amount) NEAR3 (buffer) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:54
L3	1053	(increas\$3) NEAR3 (number) NEAR3 (buffer) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:54
L4	17	(USB) AND (increas\$3) NEAR3 (number) NEAR3 (buffer) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:55
L5	1	(reassign) NEAR3 (number) NEAR3 (buffer) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:04
L6	2952	(buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:04
L7	467	(assign\$3 allocat\$3) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:05
L8	14	(assign\$3 allocat\$3) NEAR3 (more less) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:05

## EAST Search History

L9	42	(assign\$3 allocat\$3) NEAR3 (more less number) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:05
L10	0	(assign\$3 allocat\$3) NEAR3 (from) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:10
L11	467	(assign\$3 allocat\$3) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:10
L12	26	(USB) AND (assign\$3 allocat\$3) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:10
L13	0	("buffer.ab") AND (assign\$3 allocat\$3) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:11
L14	0	("buffer.ab.") AND (assign\$3 allocat\$3) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:12
L15	1017182	(buffer)".ab" AND (assign\$3 allocat\$3) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:12
L16	257	(buffer).ab. AND (assign\$3 allocat\$3) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:12

## EAST Search History

L17	229	(buffer).ab. AND (assign\$3 allocat\$3) NEAR3 (buffer) NEAR2 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:12
L18	308	(buffer).ab. AND (assign\$3 allocat\$3 manage\$4) NEAR3 (buffer) NEAR2 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:12
L19	145	((buffer) NEAR2 (pool)).ab. AND (assign\$3 allocat\$3 manage\$4) NEAR3 (buffer) NEAR2 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:13